AFFTC PREVIOUS EDITIONS OF THIS FORM MAY BE USED.

FORM

On file USAF releaseproved For Release 2002/10/21 : CIA-RDP75B00285R000400020012-3 instructions apply.

David P.

Schmarje

Program Structure 921A, EXPERIMENTAL PERSONNEL PARACHUTE (MULTI-STAGE) (Cont'd)

							ş		Corrected		
Drop No.	Calibrated airspeed	Pressure altitude (ft)	Pressure Aircraft altitude type (ft)	Gross s weight r	ime to tab. elease (sec)	Time to full open (sec)	Impact time (sec)	<pre>Rate or descent stab. (ft/sec)</pre>	face or descent main (ft/sec)	Jumper	Remarks
1321 1361 1362	60 110 110	6,000 35,000 35,000	H-21 C-130 C-130	276 270 276	_ 115.4 105.8	7.8 118.0 108.4	419.9 884.3 832.0	- 159.9 158.9	N/A 21.1 19.0	MSgt Casto SSgt Powers MSgt Casto	1,2 4 3
Remarks:	rks:										

Times from hand-held stopwatches. Phototheodolite data were not obtained.

2. This was a Salton Sea (water) jump with full pressure suit.

4. This jump was made without a pressure suit.

PROJECT STATUS REPORT

INSTRUCTIONS

ITEM 20 Enter concise project progress information sufficiently complete so that reference to other reports will not be necessary. Changes in program scheduling should be fully explained. If additional space is required, a separate 8 x 10% sheet will be used. Identify particular report and mark proper security classifications.

I. PROGRAM STRUCTURE 2. PROJECT NR OR SYSTEM TEST OBJ NR 3. TASK, ESP OR TEST NUMBER

921A 4. AFFTC PROJECT DIRECTIVE NR 5. AFSC PRIORITY

63B14 6. REPORTING PERIOD

01A

August 1964

7. TITLE AND OBJECTIVE

63 - 83

D. E. S. TESTS

(Purpose is classified)

SCHEDULE				CUR	RE	IT F	'Y _	6	5								FΥ		66						FY	67	_9	TRS	FY	6	8 6	OTR
SCHEDULE	J	A	5	0	N	D	J	F	M	A	M	J	J	A	S	0	N	D	J	F	M	A	M	J			34					
CURRENT SCHEDULE	1	3	3		614																											
SCHEDULE NEW						,																;										
CHG CODE																		l														
9, FIRST FLIGHT/	TE	ī	10.	LA	TES	T FI	_IGI	17/1	Esi		11.	FIN	AL	FLI	GH1	/TE	ST	12,	TO	TAL	FL	ig H	T HI	RS F	SEO	13.	ACI	FT 8	ERI	AL	NR	.
COMPLETED		18.			RUM			1.6 .	CON					17.	% D	AT/	RE	BU	CTIC	N	18. % REPORT COM-							19. % TOTAL COM				
10/90			10	/7	5				70	0/7	75					5/7	5				*	5	/75	5				100	0/7	7		**

LIC 9341

Tests completed: 9

Tests documented: 12

Aircraft hours flown to date:

Documented aircraft hours remaining:

Test Photo F-106B - 8 T-38 - 4F-104 - 22F-106B- 5

Test Photo F-106B - 4F-106B - 6 F-104D - 7

T-38

T-33

Two in-flight ejection tests were made from the aft cockpit of a NF-106B aircraft.

Test conditions and information are classified.

22. OFFICE SYMBOL AND TELEPHONE EXT

31 August

FTNEM/266

SCHEDULE CURRENT SCHEDULE 1 T T T C NEW SCHEDULE CHG CODE 9. FIRST PLIGHT/TEST 10. LATEST FLIGHT/TEST 11. FINAL FLIGHT/TEST 12. TOTAL FLIGHT HRS REQ 13. ACFT SERIAL NR 14. % PLANNING COMPLETED 10/80 N/A 65/28 N/A 25/10 100/22			Αp	эр	rove	d F	or l	Re	lea	se	20 1.1	02/ C	19 /	21	: 0	IA-	RD	P7	75E	300	28	RO	00	400	002	200	12	-3				
TITEM 8 Entries will be token from codes listed on Mixturesempthymoxy Page 3. TITEM 20 Enter concise project progress information sufficiently complete on the reference to their soperate will not be necessary. Changes in program scheduling should be used in the state of the reference to the respect will not be necessary. Changes in program scheduling should be used in the state of the state									F	RC)JE	СТ	ST	AT	US	RE	PO	RT														
921A 64-91 75A August 1964 75A	ITEM 20 E	nter	concl	80	proje	et p	ogran ogran	ese o sc enti	info hed fy p	orma iulir arti	d or ation ag s icul	n seu n seu shou ar re	iffic ld b	ieni e fu t ar	tly illy	composite of the compos	olete lain pro	e so ed.	o the If sec	atre add	efer itlo v c	ence nal:	s to spa ific	<u>atio</u>	na.	-qus				i be	nec 8 ;	
A PRICE PROJECT DIRECTIVE NR 64-41 75A August 1964 75A 75A August 1964 75A 75A August 1964 75A 75A August 1964 75A 75A August 1964 75A 75A 75A 75A August 1964 75A August 1964 75A 75A August 1964 75A 75A 75A 75A 75A 75A 75A 75	1, PROGRAM STRU	CTU	RE	<u> </u>	11 200	med	1	2. P	ROJ	EC.	TNI	R OF	RSY	STE	M T	EST	08	JN	R		3. 1	ASK	(, €	SP C	R	res1	ſN	UMB	ER			l
To determine most applicable camera location on helmets and develop a capability for taking motion pictures of parachutist during free fall. **SCHEDULE CURRENT FV 65 FV		T DI	RECT	'IV	E NR			ē. <i>A</i>	FBC	PF	NOF	RI T Y	,								6. F	EP				RIO	0					
To determine most applicable camera location on helmets and develop a capability for taking motion pictures of parachutist during free fall. Complete	64-41										7	5A										A	ug	ust	: 1	96	4					
SCHEDULE CURRENT FY 63 FY 66 FY 66 FY 68 ON FY	To determin	ne n	nost		app1	ica	able	e. C	am	era	a. 1	.oc	ati	Lon	١ ٥	n h	e1	me	ts										it	y f	or	
CUPRETY SCHEDULE 1 T T T T C 1 T T T T T C 1 T T T T T C 1 T T T T T C 1 T T T T T C 1 T T T T T C 1 T T T T T C 1 T T T T T T C 1 T T T T T T C 1 T T T T T T C 1 T T T T T T T C 1 T T T T T T T C 1 T T T T T T T T T T T T T T T T T T	taking moti	Lon	pic	:tı	ures	of	E pa	ara	ch	ut	ist	: d	uri	ing	; f	ree	: f	a1	1.													
CUMPENT SCHEOULE 1 T T T T C 1 T T T T T C 1 T T T T C 1 T T T T T C 1 T T T T T C 1 T T T T T C 1 T T T T T C 1 T T T T T C 1 T T T T T C 1 T T T T T C 1 T T T T T C 1 T T T T T C 1 T T T T T C 1 T T T T T T C 1 T T T T T T C 1 T T T T T T C 1 T T T T T T C 1 T T T T T T C 1 T T T T T T C 1 T T T T T T C 1 T T T T T T C 1 T T T T T T T C 1 T T T T T T C 1 T T T T T T T C 1 T T T T T T T C 1 T T T T T T T T C 1 T T T T T T T T T T T T C 1 T T T T T T T T T T T T T T T T T T	4. SCHEDULE			-		~~~~	·						<u> </u>		T.					Te	T 14		T M	·	7		_			_		_
NEW SCHEDULE CNG CODE OF FIRST PLIGHT/YEST IS. ATMATRIMENTAL IG. SYESTING COMPLETED IS. ATMATRIMENTAL IG. SYESTING COMPLETED IO/80 N/A IS. ATMATRIMENTAL IG. SYESTING COMPLETED IO/80 N/A IS. ATMATRIMENTAL IG. SYESTING COMPLETED IO/80 N/A II. SPLANNING III. STOTAL PLIGHT HAS REQ IS. ACFT SERIAL NR III. SPLANNING III. STOTAL PLIGHT HAS REQ IS. ACFT SERIAL NR III. SPLANNING III. STOTAL PLIGHT HAS REQ IS. ACFT SERIAL NR III. STOTA		4	4 5	4	OIN	╀	1	F	M		M	J	ر	^	3	0	N	ע	┪				-	٠	1		129	1		1		310
Test completed: 24 Tests documented: 60 Documented aircraft hours remaining: Test C-130 - 5.8 One test was made from the ramp of a C-130 aircraft at 110 KIAS, 12,500-ft. pressure altitude. The camera parachutist used a helmet with the camera mounted on the side. A parachutist exited the aircraft first, followed by the camera-parachutist. The parachutist held a stable prone position as the camera-parachutist maneuvered toward him. Motion pictures were taken at 32 frames per second. The coverage obtained was considered good. The camera-parachutist had the parachutist in view throughout the free-fall.	NEW		1 T	1	TT	T	С								-				-	<u> </u>			-		-			\vdash	-	 		
10/80 N/A 65/28 N/A 25/10 100/22 10/80 N/A 25/10 N/A	CHE CODE											L.							<u> </u>	<u> </u>	<u>L</u>			<u> </u>				<u> </u>	<u> </u>	L		
10/80 N/A 65/28 N/A 25/10 100/22 10/80 N/A 65/28 N/A 25/10 100/22 10.80 N/A 65/28 N/A 25/10 100/22 Test completed: 24 Tests documented: 60 Documented aircraft hours remaining: Test C-130 - 5.8 C-130 - 24.2 One test was made from the ramp of a C-130 aircraft at 110 KIAS, 12,500-ft. pressure altitude. The camera parachutist used a helmet with the camera mounted on the side. A parachutist exited the aircraft first, followed by the camera-parachutist. The parachutist held a stable prone position as the camera-parachutist maneuvered toward him. Motion pictures were taken at 32 frames per second. The coverage obtained was considered good. The camera-parachutist had the parachutist in view throughout the free-fall.	O. FIRST FLIGHT/	TES	7 10	0. 1	LATE	F	LIGH	ŧT/1	r K #1	r .	11.	Fin	NAL	FLI	IGH.	T/ T W	, 5 T	12.	, 10	IT; AL		.1971				1.51	. ~~					
Test completed: 24 Aircraft hours flown to date: Test C-130 - 5.8 Test C-130 - 5.8 Test C-130 - 24.2 One test was made from the ramp of a C-130 aircraft at 110 KIAS, 12,500-ft. pressure altitude. The camera parachutist used a helmet with the camera mounted on the side. A parachutist exited the aircraft first, followed by the camera-parachutist. The parachutist held a stable prone position as the camera-parachutist maneuvered toward him. Motion pictures were taken at 32 frames per second. The coverage obtained was considered good. The camera-parachutist had the parachutist in view throughout the free-fall.	14. % PLANNING COMPLETED		18. %	TN	ISTRU N COM	MEN			% T	EST	ETI	; ED		17.	% c	MPL	RETE	BU	сті	оN	18.	% R PL	ETE	ORT	co	<u> </u>	19				CON	- -
Test completed: 24 Aircraft hours flown to date: Test C-130 - 5.8 Test C-130 - 5.8 Test C-130 - 24.2 One test was made from the ramp of a C-130 aircraft at 110 KIAS, 12,500-ft. pressure altitude. The camera parachutist used a helmet with the camera mounted on the side. A parachutist exited the aircraft first, followed by the camera-parachutist. The parachutist held a stable prone position as the camera-parachutist maneuvered toward him. Motion pictures were taken at 32 frames per second. The coverage obtained was considered good. The camera-parachutist had the parachutist in view throughout the free-fall.			N	\ <u>r</u>	A			_ (65/	28					N	I/A							25/	10				10)0/	22		
In Kan work	Test complaired to the considered to the conside	ete our 5.8 as Th ist t h	wsc d: s f] made e ca ex: eld	2 lo	23 4 from	n t pa the abl	he rac ai e p	rai	tis rai ne ker pan	it po	us fi si	ed rst tic 32	at, on fr	0 a he fo	ain lme lle tl	ccraet vowe	aft wit d l	ed C-1 th by men	T 130 at th th	est	raf	24 IA: ner: hu:	.2 S, a n a-p tis	12 nou st	,50	00 - ed hut neu ge	ft or is	i ti	pre he d t	The Cow	aro was	i
		104	./.		- 1					AN	10 1	EL	EPH	ONE	E EC	(T		ì	3	14 1	KA	MI	in	ואכיז	4.	•	FFI	CER		<u> </u>		